



SHORT OFFER

FASTENERS

STEEL A2 / A4



We connect business

Dear partners!

We have been supporting the industry in everyday production activities for many years, making them more effective, safe and solid. We are pleased to present our GLOTECH® brand offer with a wide portfolio of stainless and acid-resistant steel fasteners.

We specialize in fasteners made of A2 and A4 material. These are groups of steel alloys with significantly reduced content of carbon, which are characterized by high resistance to corrosion under the influence of atmospheric conditions, low concentration acids, salts, oxides. We also offer bolts, screws, rivets, ropes, chains and other fasteners made of stainless and acid-resistant steel. Their wide application in various branches of the economy such as: food industry, chemical industry, shipbuilding industry, in industries producing door and window joinery systems, aluminum facades, but also on the market of garden joinery, requires us to apply high quality standards.

Quality management is an important and natural part of everyday life. Quality management is an important and natural part of everyday life. We know that in order to achieve high standards, integrated management systems are necessary. Therefore, at every stage of our activity, we use business management systems according to ISO 9001:2015 standard. We also know how important is the safety and work environment of our employees. Thus, with them and our activities in mind, we have implemented the ISO 45001:2018 Occupational Health and Safety Management System, which has been confirmed annually for many years by global accreditation bodies.

We are aware that the future of each company depends on their customers. Therefore, a team of technical staff with many years of experience, supports our clients in finding solution that will meet their requirements and expectations. An individual approach to each client has always been our priority, and openness to new solutions means that many entrepreneurs have trusted us. An individual approach to each client has always been our priority, whereas openness to new solutions makes that many entrepreneurs have already trusted us.

I invite you to cooperation!

CEO
Janusz Ziemia

BOLTS	SELF DRILLING SCREWS	METRIC SCREWS	SLOTTED SET SCREWS
			
TERRACE WOOD SCREWS	WOOD SCREWS	SHEET METAL SCREWS	THREADED RODS
			
BLIND RIVETS BLIND RIVET NUTS	METAL NUTS	RETAINING RINGS	WASHERS
			
ROPES	CHAINS	HOSE CLAMPS	SPLIT PINS
			

BOLTS

- used in machines, constructions and other technical devices
- A2/A4 steel

INDUSTRIES

- machinery, food, chemical and shipbuilding industries
- sanitary engineering industry dealing with heating, ventilation, air conditioning, etc.
- solar industry / photovoltaics

Art. nr 316 DIN 316	Art. nr 580 ISO 3266	DIN 603 ISO 8677	DIN 912 ISO 4762
Wing screws, american type	Lifting eye bolts	Mushroom head square neck bolts	Slotted cheese head screws with hexagonal socket
EZ03162 / EZ03164	EZ05802 / EZ05804	EZ06032 / EZ06034	EZ09122 / EZ09124
			
DIN 931 ISO 4014	DIN 933 ISO 4017	ISO 10642 DIN 7991	DIN 7984
Hexagon head bolts with incomplete thread	Hexagon head screws fully threaded	Hexagon socketed countersunk head screws	Hexagon socket head cap screws with low head
EZ09312 / EZ09314	EZ09332 / EZ09334	EZ106422 / EZ106424	EZ79842 / EZ79844
			

SELF DRILLING SCREWS

- screws designed for soft materials, e.g. aluminum
- on request we supply self-drilling screws for carbon or acid-resistant steel made of 1.4006 material or Bi-metal for solar installations
- A2/A4 steel

INDUSTRIES

- production of aluminum joinery, aluminum structures
- yacht production, shipbuilding, etc.
- roofing industry, solar / photovoltaics

DIN 7504 K PN-EN ISO 15480	DIN 7504 M PN-EN ISO 15481	DIN 7504 M TX PN-EN ISO 15481	DIN 7504 O PN-EN ISO 15482
Self drilling screws with hexagon head and flange	Self drilling screws with pan head - H	Self drilling screws with pan head six lobe drive - TX	Self drilling screws with countersunk head - H
EZ75042K / EZ75044K	EZ75042M / EZ75044M	EZ75042MT	EZ75042O / EZ75044O
			
DIN 7504 O TX PN-EN ISO 15482			
Self drilling screws with countersunk head six lobe drive - TX			
EZ75042OT / EZ75044OT			
			

METRIC SCREWS

- screws with metric thread
- A2/A4 steel

INDUSTRIES

- machinery, food, chemical and shipbuilding industries
- lighting industry, aluminum structures, etc.

DIN 84 ISO 1207	DIN 963 ISO 2009	DIN 965 H ISO 7046	DIN 7985 H ISO 7045
Slotted cheese head screws	Slotted countersunk head screws	Cross recessed countersunk head screws - H	Cross recessed raised cheese head screws - H
EZ00842 / EZ00844	EZ09632 / EZ09634	EZ09652 / EZ09654	EZ79852 / EZ79854
			
ISO 7380-1 PN-EN ISO 7380	ISO 7380-2 ISO 7380 MF	ISO 14581 DIN 965 TX	ISO 14583 DIN 7985 TX
Button head screws - hexagon socket	Flange button head socket screws	Countersunk head screws with six lobe drive	Pan head screws with six lobe drive
EZ738012 / EZ738014	EZ738022 / EZ738024	EZ145812 / EZ145814	EZ145832 / EZ145834
			

SLOTTED SET SCREWS

- hexagon socket set screws
- A2/A4 steel

INDUSTRIES

- machinery, food, chemical and shipbuilding industries, aluminum structures
- sanitary engineering industry dealing with heating, ventilation, air conditioning, etc.

ISO 4026 DIN 913	ISO 4027 DIN 914	ISO 4028 DIN 915	ISO 4029 DIN 916
Hexagon socket set screws with flat point EZ40262 / EZ40264	Hexagon socket set screws with cone point EZ40272 / EZ40274	Hexagon socket set screws with dog point EZ40282 / EZ40284	Hexagon socket set screws with cup point EZ40292 / EZ40294
			

SHEET METAL SCREWS

- sheet metal screws designed for aluminum structures and other soft metals
- A2/A4 steel

INDUSTRIES

- machinery, food, chemical and shipbuilding industries
- roofing industry, sanitary engineering industry dealing with heating, ventilation, air conditioning, etc.
- aluminum structures

DIN 7976 ISO 1479	DIN 7981 C-H ISO 7049	DIN 7982 C-H ISO 7050	Art. nr 9051
Hexagon head tapping screws EZ79762 / EZ79764	Cross recessed pan head tapping screws - H EZ79812 / EZ79814	Cross recessed countersunk head tapping screws - H EZ79822 / EZ79824	Tapping screws with head according to DIN 912 EZ90512 / EZ90514
			
ISO 14585	ISO 14586		
Pan head tapping screws, six lobe drive - TX EZ145852 / EZ145854	Countersunk head tapping screws, six lobe drive - TX EZ145862 / EZ145864		
			

WOOD SCREWS AND TERRACE SCREWS

- wood screws
- chipboard screws
- screws for decking boards
- A2/A4/C1 (1.4006) steel

INDUSTRIES

- wooden structures, garden architecture
- carpentry and furniture industry

DIN 571 PN 82501	DIN 7997	Art. nr 9047	Art. 9048
Hexagon head wood screws EZ05712 / EZ05714	Cross recessed countersunk wood screws, Z EZ79972 / EZ79972	Cross recessed countersunk chipboard screws, TX socket EZ90472 / EZ90474	Cross recessed pan head chipboard screws, Z EZ90482 / EZ90484
			
Art. nr 9050	Art. nr 9242		
Cross recessed countersunk chipboard screws, Z EZ90502 / EZ90504	Hardwood screws with cutting point and TX socket EZ92422 / EZ92424		
			

WASHERS

- DIN 125, DIN 127, DIN 128 washers
- DIN 6797, DIN 6798 washers - forms A/J/V
- sealing washers with grey EPDM
- A1/A2/A4 steel

INDUSTRIES

- machinery, food, chemical and shipbuilding industries
- wooden and aluminum constructions
- sanitary engineering industry dealing with heating, ventilation, air conditioning

DIN 125 ISO 7089	DIN 127 B PN 82008	DIN 440 R ISO 7094	DIN 440 V ISO 7094
Plain washers	Spring lock washers	Washers, especially for wood constructions	Washers, especially for wood constructions
EZ01252 / EZ01254	EZ01272 / EZ01274	EZ04402 / EZ04404	EZ044020 / EZ044040
			
DIN 9021 ISO 7092	Art. 9055	NF E 27-619	DIN 6797 A i J PN/M 82024 i 23
Washers with outside diameter ~3 x nominal thread diameter	Sealing washers EDPM	Rosetten turned full body	Toothed lock washers outside and inside
EZ90212 / EZ90214	EZ90552 / EZ90554	EZ276192 / EZ276194	EZ67972
			
DIN 6798 A i J			
Serrated lock washers outside and inside			
EZ67982			
			

RETAINING RINGS

- retaining rings for shafts
- retaining rings for bores
- A1/1.4122 steel

INDUSTRIES

- machinery, food, chemical industries


DIN 471 A PN 85111	DIN 472 J PN 85111		
Retaining rings for shafts	Retaining rings for bores		
EZ04712 / EZ04714	EZ04722 / EZ04724		
			

BLIND RIVETS AND BLIND RIVET NUTS

- blind rivets, flat head rivets, countersunk head rivets
- rivet nuts with flat head, rivet nuts with CSK head, rivet nuts with small CSK head
- A2 / A4 steel

INDUSTRIES

- machinery, food, chemical and shipbuilding industries
- aluminum constructions
- sanitary engineering industry dealing with heating, ventilation, air conditioning

ISO 15983 DIN 7337	ISO 15984 DIN 7337	ISO 16585	Art. nr 1021
Blindrivets with break mandrel	Blindrivets with CSK head and grooved mandrel	Closed blindrivets with flat head, grooved mandrel	Blind rivet nut reduce head
EZ159832 / EZ159834	EZ159842 / EZ159844	EZ165852 / EZ165854	EZ10212 / EZ10214
			
Art. nr 1023	Art. nr 1025		
Large cone blind rivet nuts	Flat-flanged blind rivet nuts		
EZ10232 / EZ10234	EZ10252 / EZ10254		
			

METAL NUTS

- hexagon nuts, prevailing torque type hexagon nuts, hexagon domed cap nuts
- threaded sleeves, specialistic nuts
- A2 / A4 steel

INDUSTRIES

- machinery, food, chemical, construction industries
- sanitary engineering industry dealing with heating, ventilation, air conditioning, aluminum constructions

Art. nr 315 DIN 315 Wing nuts, american type EZ03152 / EZ03154	DIN 439 ISO 4035 Hexagon thin nuts EZ04392 / EZ04394	DIN 557 PN 82151 Square nuts EZ05572 / EZ05574	Art. nr 582 DIN 582 Lifting eye nuts EZ05822 / EZ05824
			
DIN 934 ISO 4032 Hexagon nuts EZ09342 / EZ09344	Art. nr 980 ISO 7042 Prevailing torque type hexagon nuts EZ09802 / EZ09804	DIN 982 ISO 7040 Prevailing torque type hexagon nuts, high type EZ09822 / EZ09824	DIN 985 ISO 10511 Prevailing torque type hexagon nuts, low type EZ09852 / EZ09854
			
DIN 986 Prevailing torque type hexagon domed cap nuts EZ09862 / EZ09864	DIN 1587 PN 82181 Hexagon domed cap nuts, high type EZ15872 / EZ15874	DIN 6334 Hexagon nuts, m=3d EZ63342 / EZ63344	DIN 6923 PN-EN 1661 Hexagon flange nuts (plain / serrated) EZ69232 / EZ69234
			

ROPES AND CHAINS, THREADED RODS

- stiff wire ropes 1x19, semi-soft wire ropes 7x7, flexible wire ropes 7x19
- round long link chains, round short link chains
- threaded rods L=1 running meter or L=2 running meter
- A2 / A4 steel

INDUSTRIES

- machinery, chemical, shipbuilding and yacht industries and playground architecture
- sanitary engineering industry dealing with heating, ventilation, air conditioning, sewage treatment plants

Art. nr 8379 Wire rope 7x7 semi-soft EZ83792 / EZ83794	Art. nr 8382 Wire rope 7x19 flexible EZ83822 / EZ83824	Art. nr 763 DIN 763 Round long link chains EZ07632 / EZ07634	Art. nr 766 DIN 766 Round short link chains EZ07662 / EZ07664
			
DIN 976 DIN 975 Threaded rods EZ09762 / EZ09764			
			

HOSE CLAMPS AND SPLIT PINS

- hose clamps
- split pins
- A2 / A4 steel

INDUSTRIES

- machinery, food, chemical and shipbuilding industries, agriculture and agricultural processing
- sanitary engineering industry dealing with heating, ventilation, air conditioning

DIN 3017 PN/M 74906 Hose clamps EZ30172 / EZ30174	DIN 94 ISO 1234 Split pins EZ12342 / EZ12344		
			



Fabryka Pił i Narzędzi
WAPIENICA Sp. z o.o.

30 Tadeusza Regera st.
43-382 Bielsko-Biała, Poland
M: +48 721 740 019
M: +48 663 860 621

glotech@glotech-wapienica.eu
www.globus-wapienica.com



Registration data:

Fabryka Pił i Narzędzi WAPIENICA Sp. z o.o., 30 Tadeusza Regera st., 43-382, Bielsko-Biała, Poland, NIP UE: PL5470171925,
REGON: 070609347, KRS.: 0000258314 District Court in Bielsko-Biała VIII Commercial Department, BDO: 000018416
©FPiN Wapienica Sp. z o.o. - Edition: August 2026